SJÖSS

45W

Design and Quality
IKEA of Sweden


C1/45W
C2/45W

C1/C2:

5.0V ⎓ 3.0A 15.0W

9.0V ⎓ 3.0A 27.0W

12.0V ⎓ 3.0A 36.0W

15.0V ⎓ 3.0A 45.0W

20.0V ⎓ 2.25A 45.0W

PPS: 5.0-16.0V ⎓ 3.0A 45.0W


C1/22W
C2/22W

C1:
5.0V ⎓ 3.0A 15.0W
9.0V ⎓ 2.44A 22.0W
12.0V ⎓ 1.83A 22.0W
15.0V ⎓ 1.46A 22.0W
20.0V ⎓ 1.10A 22.0W
PPS: 5.0-11.0V ⎓ 2.4A 22.0W

C2:
5.0V ⎓ 3.0A 15.0W
9.0V ⎓ 2.44A 22.0W
12.0V ⎓ 1.83A 22.0W
15.0V ⎓ 1.46A 22.0W
20.0V ⎓ 1.10A 22.0W
PPS: 5.0-11.0V ⎓ 2.4A 22.0W

PD 3.0 **QC 4+** **PPS**

日本語 8
English 12

日本語

この説明書をよくお読みになり、必要なときにご覧いただけるよう大切に保管してください。

本製品の機能

- 2台同時に充電可能。
- 各USB-Cポートの出力：
  - USB-Cポート1口使用時：45.0W
  - USB-Cポート2口使用時：22.0W
- USB-C充電器は、Power Delivery（PD 3.0）、Quick Charge（QC4+）、およびProgrammable Power Supply（PPS）に対応しています。
- このUSB-C充電器は、携帯電話やタブレットのクイックチャージに対応しています。 この充電器は、ほとんどのノートパソコンの充電にも対応します。 充電の速度は、接続された機器によって異なります。
- 内蔵の安全機能で、USB-C充電器のショート、オーバーヒート、過充電を防止します。

- USB-C充電器に、付属のカラフルなシールをはってパーソナライズできます。

ご使用方法

USB-C充電器をコンセントに差し込みます。 USB-Cケーブルの一方の端子をUSB-Cポートに差し、他方の端子を充電または給電したい機器に差します。
注意！ USB-Cケーブルは付属していません。

警告

- 破損した場合には、すぐに使用を中止し、製品を廃棄してください。
- 破損・故障したUSBケーブルは絶対に使用しないでください。 充電器やほかの機器の破損や不具合の原因になるおそれがあります。
- 室内専用です。
- 充電器に水などの液体がかからないよう注意してください。
- お子さまが本製品で遊ばないようご注意ください。
- 本製品は必ず、近くにある利用しやすいコンセントに接続してください。

お手入れ方法
お手入れの際は、電源から外して、乾いた布で拭いてください。

お役立情報
- USBケーブルの長さと品質は、充電の速度と性能に影響します。
- 充電中に機器が発熱する場合があります。 これは異常ではありません。満充電後は徐々に温度が下がります。
- 充電器の動作温度：5°C～35°C（41°F～95°F）
- 使用しないときは、必ず充電器を電源から外してください。

製造業者：IKEA of Sweden AB

住所：Box 702, SE-343 81 Älmhult, SWEDEN

テクニカルデータ
型式：SJÖSS/ショッス
タイプ：E2307-NA
入力：100-240V~,50/60Hz, Max 1.0 A

出力：

USB-Cポート1口使用時： 最大45W C1またはC2	USB-Cポート2口使用時： 1口あたり最大22W C1およびC2
5.0V ⎓ 3.0A 15.0W, 9.0V ⎓ 3.0A 27.0W, 12.0V ⎓ 3.0A 36.0W, 15.0V ⎓ 3.0A 45.0W, 20.0V ⎓ 2.25A 45.0W, PPS: 5.0-16.0V ⎓ 3.0A 45.0W	5.0V ⎓ 3.0A 15.0W, 9.0V ⎓ 2.44A 22.0W, 12.0V ⎓ 1.83A 22.0W, 15.0V ⎓ 1.46A 22.0W, 20.0V ⎓ 1.10A 22.0W, PPS: 5.0-11.0V ⎓ 2.4A 22.0W

室内専用。

「Crossed-out wheeled bin」マークは、廃棄する際に一般の家庭ゴミと区別する必要があることを意味しています。このマークの付いた製品は、お住まいの地域の分別ルールに従ってリサイクルに出してください。一般の家庭ゴミと分けてリサイ

クルすることで、焼却炉やゴミ埋め立て施設に持ち込まれるゴミの量を削減できるうえ、健康や環境への潜在的な負荷を軽減できます。詳しくは、お近くのイケアストアにお問い合わせください。

English

Read instructions carefully and keep for future reference.

Product features

- Charges up to 2 devices simultaneously.
- Output power per USB-C outlet:
  - one USB-C outlet in use: 45.0W
  - two USB-C outlets in use: 22.0W
- The USB-C charger is compatible with Power Delivery (PD 3.0), Quick Charge (QC4+) and Programmable Power Supply (PPS).
- The USB-C charger supports quick charging of phones and tablets. The charger can also support charging of most laptops. The charging speed is determined by the connected device.

- Built-in safety features protect the USB-C charger from short-circuiting, overheating and overloading.
- The USB-C charger can be personalised with colourful stickers included in the package.

Instructions for use

Connect the USB-C charger to the wall socket. Insert the USB-C cable end into the USB-C port and the other end to the device you want to charge or power.
NOTE! USB-C cable is not included.

WARNING

- Discard the product if damaged.
- Never use a damaged or faulty USB cable, since this can damage or harm the charger or your device.
- Use only indoors.
- Never submerge the charger in water or other liquids.
- Children should be supervised to ensure they do not play with the product.
- Always connect the product to an easy accessible socket.

Cleaning instructions
To clean the charger, unplug from power source and wipe with a dry cloth.

Good to know
- USB cable length and quality influences charging speed and performance.
- Devices may get warm during charging. This is completely normal, and they will gradually cool down again after they are fully charged.
- Charger operating temperature: 5°C to 35°C (41°F - 95°F).
- Unplug the charger from the power source when not in use.

Manufacturer: IKEA of Sweden AB

Address: Box 702, SE-343 81 Älmhult, SWEDEN

Technical data
Model: SJÖSS
Type: E2307-NA
Input: 100-240V~, 50/60 Hz, Max 1.0 A
Output:

One USB-C outlet in use: Max 45.0W C1 or C2	Two USB-C outlets in use: Max 22.0W per port C1 and C2
5.0V ⎓ 3.0A 15.0W, 9.0V ⎓ 3.0A 27.0W, 12.0V ⎓ 3.0A 36.0W, 15.0V ⎓ 3.0A 45.0W, 20.0V ⎓ 2.25A 45.0W, PPS: 5.0-16.0V ⎓ 3.0A 45.0W	5.0V ⎓ 3.0A 15.0W, 9.0V ⎓ 2.44A 22.0W, 12.0V ⎓ 1.83A 22.0W, 15.0V ⎓ 1.46A 22.0W, 20.0V ⎓ 1.10A 22.0W, PPS: 5.0-11.0V ⎓ 2.4A 22.0W

Indoor use only.

The crossed-out wheeled bin symbol indicates that the item should be disposed of separately from household waste. The item should be handed in for recycling in accordance with local environmental regulations for waste disposal. By separating a marked item from household waste, you will help reduce the volume of waste sent to incinerators or land-fill and minimize any potential negative impact on human health and the environment. For more information, please contact your IKEA store.

© Inter IKEA Systems B.V. 2023